

**WE ARE
TORONTO**

**THE WORLD
IN A CITY**

PROJECT PREPARED FOR :

City of Toronto
Freestanding Totem Signage - V2.0
Feb 24, 2026

V VANCOUVER
SIGN GROUP

#414 – 5940 NO 6 ROAD
RICHMOND, B.C. V6V 1Z1

604.273.4255
vsgbc.com

This drawing is the sole property of Vancouver Sign Group and is not to be copied in whole or in part without the expressed permission of Vancouver Sign Group



SIDE




FRONT



PERSPECTIVE

4m Totem | Exploded View






STRUCTURAL NOTES:
DRAWINGS REVIEWED FOR STRUCTURAL COMPLIANCE OF THE SIGN SUPPORT SYSTEM ONLY. REVIEW DOES NOT PROVIDE WARRANTY FOR SIGN SUPPORT SYSTEM IN RELATION TO WATER INGRESS, THERMAL PERFORMANCE AND FIRE PROTECTION. PROTECT ALUMINUM IN CONTACT WITH DISSIMILAR METALS IN MOIST CONDITIONS FROM GALVANIC CORROSION. PRIME & PAINT OR USE GASKETS WHERE APPLICABLE.

ALUMINUM MEMBERS AND WELDS TO CONFORM TO CAN3-S157-17, STRENGTH DESIGN IN ALUMINUM

WIND LOADS BASED ON TEMPORARY INSTALLATION (3 MONTH DURATION) IMPORTANCE FACTOR IW =NORMAL

2.4m Totem | Standard Views



SIDE



FRONT




PERSPECTIVE

2.4m Totem | Exploded View



2.4m Totem | Technical Specifications



STRUCTURAL NOTES:
 DRAWINGS REVIEWED FOR STRUCTURAL COMPLIANCE OF THE SIGN SUPPORT SYSTEM ONLY. REVIEW DOES NOT PROVIDE WARRANTY FOR SIGN SUPPORT SYSTEM IN RELATION TO WATER INGRESS, THERMAL PERFORMANCE AND FIRE PROTECTION. PROTECT ALUMINUM IN CONTACT WITH DISSIMILAR METALS IN MOIST CONDITIONS FROM GALVANIC CORROSION. PRIME & PAINT OR USE GASKETS WHERE APPLICABLE.

ALUMINUM MEMBERS AND WELDS TO CONFORM TO CAN3-S157-17, STRENGTH DESIGN IN ALUMINUM

WIND LOADS BASED ON TEMPORARY INSTALLATION (3 MONTH DURATION) IMPORTANCE FACTOR I_w = NORMAL

1/2" DIA. HILTI CARBON STEEL - KB-TZ2 OR EQUIV WEDGE ANCHORS W/ MIN 4" EMBEDEMENT INTO CONCRETE LOCK-BLOCK BASE

1/2" DIA. HILTI CARBON STEEL - KB-TZ2 OR EQUIV WEDGE ANCHORS W/ MIN 4" EMBEDEMENT INTO CONCRETE LOCK-BLOCK BASE